



WO 00/48257

PCT/GB00/00476

APPROVED	O.G. FIG. 2
BY	CLASS SUBCLASS
DRAFTSMAN	313 506

1 / 8




FIG. 1

-- PRIOR ART --




FIG. 2

DIFFERENT CATHODE LAYER STRUCTURE WITH Li/Ca/Al
 PEDOT=Ba/PEDT/6:Sp/PSS/1 (1:5.5 PEDT:PSS) 500Å
 EMITTER=R/5BTF8/1:R/TFB/1 (4:1) 750Å

PEAK EFFICIENCY VS DEVICE
 NO / PROCESS FOR
 DIFFERENT CATHODES




FIG. 3

09/913381

WO 00/48257

PCT/GB00/00476

APPROVED	O.G. FIG. 2
BY	CLASS SUBCLASS
DRAFTSMAN	313 506





FIG. 4



23691-23719: EL SPECTRA
 - xx/Ca/Al CATHODES




FIG. 5

00 21 381

WO 00/48257

PCT/GB00/00476

APPROVED	O.G. FIG. 2
BY	CLASS
DRAFTSMAN	SUBCLASS
	313
	506

3 / 8






FIG. 5 CONT'D

09/913381

WO 00/48257

PCT/GB00/00476

4 / 8






FIG. 6

08.91.001

WO 00/48257

PCT/GB00/00476

5 / 8



23691-23718: SCB1/1:
TFB xx/Ca/Al CATHODES





FIG. 6CONT'D

APPROVED	O.G. FIG. 2
BY	CLASS SUBCLASS
DRAFTSMAN	313 SOL

09/913381

WO 00/48257

PCT/GB00/00476

6 / 8

APPROVED	D.G. FIG. 2
BY	CLASS SUBCLASS
DRAFTSMAN	313 SOL




FIG. 7

09/913/87

WO 00/48257

PCT/GB00/00476

7 / 8

APPROVED	O.G. FIG. 2
BY	CLASS SUBCLASS
DRAFTSMAN	313 506




FIG. 8

09/913381

APPROVED	O.G. FIG. 2
BY	CLASS
DRAFTSMAN	SUBCLASS
	313
	506

WO 00/48257

PCT/GB00/00476

8 / 8




FIG. 9